

IBEX



FOREST RIVER

FORESTRIVERINC.COM



FOREST RIVER


A Berkshire Hathaway Company

BUILT AND BACKED BY FOREST RIVER

Founded in 1996 by Pete Liegl, Forest River, Inc. has evolved into North America's largest manufacturer of recreational vehicles, cargo trailers, pontoon boats, and commercial vehicles including buses, vans, and trucks. Its portfolio includes market share leaders in every category, and it is the country's leading manufacturer of buses and vans for both the private and public sectors. Based in Elkhart, Indiana, Forest River employs 14,000+ employees in 100+ facilities in more than a half dozen states. With a commitment to excellence and a focus on customer satisfaction, Forest River is proud to be a Berkshire Hathaway company.

NEVER STOP GOING.™

FORESTRIVERINC.COM



IBEX provides lightweight travel trailers built for adventure—whether on or off the road—with unique floorplans for families, couples, and weekend warriors.

If you want to get off the beaten path, check out the **Black Canyon Beast Mode** package. Featuring a Curt independent suspension, 400W of solar and a 2000W inverter, the Black Canyon Beast Mode package is designed to blaze new trails—wherever they lead.





20MKB



24BHB



24BHB



24BHB



PLATFORM ENTRY
STEP(S)
W/ NIGHTLIGHT



ENCLOSED UNDERBELLY
W/ FORCED HEAT &
RADIANT FOIL INSULATION



12V HEATING PADS
ON ALL TANKS



60X80
QUEEN BED



10 CU FT 12V
REFRIGERATOR



PREMIUM WINDOW
TREATMENTS




ALL TERRAIN
TIRES W/TPMS



AIR FRYER
MICROWAVE



CONVENIENT MOTION
LIGHTING
INSIDE & OUT



15,000 BTU
DUCTED A/C



200 WATT SOLAR PANEL
30 AMP CONTROLLER
& INVERTER PREP




OUTSIDE KITCHEN



CENTRAL VACUUM
SYSTEM



REAR ACCESSORY HITCH



UPGRADED SHOWER
ENCLOSURE



ULTIMATE BEDROOM
STORAGE



12V TV



USB-C PORTS
INSIDE & OUT



4 SPEED HIGH POWERED
BATH FAN



HOT & COLD EXTERIOR
SPRAY PORT



LARGE KITCHEN SINK
W/ CUP WASHER



STARLINK
STARLINK PREP



SLAM LATCH
CARGO DOORS



LARGE HOLDING
TANKS



ON DEMAND
TANKLESS
WATER HEATER



FIBERGLASS FRONT
CAP

Some Features N/A For Select Models

16MKS

STANDARD

GVWR: 5,558 lb
UVW: 4,058 lb
HITCH: 545 lb
CCC: 1500 lb
LENGTH: 20' 6"

BEAST MODE

GVWR: 5,380 lb
UVW: 4,278 lb
HITCH: 510 lb
CCC: 1,102 lb
LENGTH: 20' 6"




16MBJ

STANDARD

GVWR: 5,585 lb
UVW: 4,088 lb
HITCH: 485 lb
CCC: 1,497 lb
LENGTH: 21' 8"

BEAST MODE

GVWR: 5,375 lb
UVW: 4,323 lb
HITCH: 505 lb
CCC: 1,052 lb
LENGTH: 21' 8"




16RKD

STANDARD

GVWR: TBD
UVW: TBD
HITCH: TBD
CCC: TBD
LENGTH: TBD

BEAST MODE

GVWR: TBD
UVW: TBD
HITCH: TBD
CCC: TBD
LENGTH: TBD



16MKD

STANDARD

GVWR: 5,523 lb
UVW: 4,023 lb
HITCH: 570 lb
CCC: 1,500 lb
LENGTH: 21' 8"

BEAST MODE

GVWR: 5,480 lb
UVW: 4,213 lb
HITCH: 610 lb
CCC: 1,267 lb
LENGTH: 21' 8"



19MBH

STANDARD

GVWR: 5,984 lb
UVW: 4,484 lb
HITCH: 585 lb
CCC: 1,500 lb
LENGTH: 24' 8"

BEAST MODE

GVWR: 6,414 lb
UVW: 4,914 lb
HITCH: 680 lb
CCC: 1,500 lb
LENGTH: 24' 8"



19MSB

STANDARD

GVWR: 6,378 lb
UVW: 4,878 lb
HITCH: 610 lb
CCC: 1,500 lb
LENGTH: 25' 0"

BEAST MODE

GVWR: 6,524 lb
UVW: 5,024 lb
HITCH: 655 lb
CCC: 1,500 lb
LENGTH: 24' 8"



19QRB

STANDARD

GVWR: 4,915 lb
UVW: 4,168 lb
HITCH: 515 lb
CCC: 747 lb
LENGTH: 24' 2"

BEAST MODE

GVWR: 5,385 lb
UVW: 4,483 lb
HITCH: 535 lb
CCC: 902 lb
LENGTH: 24' 2"




19BRK

STANDARD

GVWR: 6,378 lb
UVW: 4,878 lb
HITCH: 610 lb
CCC: 1,500 lb
LENGTH: 25' 0"

BEAST MODE

GVWR: 6,788 lb
UVW: 5,288 lb
HITCH: 660 lb
CCC: 1,500 lb
LENGTH: 25' 0"



20MDS

STANDARD

GVWR: 6,463 lb
UVW: 4,963 lb
HITCH: 630 lb
CCC: 1,500 lb
LENGTH: 24' 4"

BEAST MODE

GVWR: 6,923 lb
UVW: 5,423 lb
HITCH: 670 lb
CCC: 1,500 lb
LENGTH: 24' 4"




20FKDS

STANDARD

GVWR: 7,178 lb
UVW: 5,678 lb
HITCH: 800 lb
CCC: 1,500 lb
LENGTH: 27' 7"

BEAST MODE

GVWR: 7,648 lb
UVW: 6,148 lb
HITCH: 890 lb
CCC: 1,500 lb
LENGTH: 27' 7"




20MKB

STANDARD

GVWR: 6,413 lb
UVW: 4,913 lb
HITCH: 550 lb
CCC: 1,500 lb
LENGTH: 25' 0"

BEAST MODE

GVWR: 6,843 lb
UVW: 5,343 lb
HITCH: 680 lb
CCC: 1,500 lb
LENGTH: 25' 0"




23MBH

STANDARD

GVWR: 6,608 lb
UVW: 5,108 lb
HITCH: 750 lb
CCC: 1,500 lb
LENGTH: 26' 2"

BEAST MODE

GVWR: 7,148 lb
UVW: 5,648 lb
HITCH: 740 lb
CCC: 1,500 lb
LENGTH: 26' 2"



24BHB

STANDARD

GVWR: TBD lb
UVW: TBD lb
HITCH: TBD lb
CCC: TBD lb
LENGTH: 29' 9"

BEAST MODE

GVWR: 8,148 lb
UVW: 6,648 lb
HITCH: 750 lb
CCC: 1,500 lb
LENGTH: 29' 9"



25RLSS

STANDARD

GVWR: 7,243 lb
UVW: 5,743 lb
HITCH: 850 lb
CCC: 1,500 lb
LENGTH: 29' 0"

BEAST MODE

GVWR: 7,703 lb
UVW: 6,203 lb
HITCH: 910 lb
CCC: 1,500 lb
LENGTH: 29' 0"




25MLB

STANDARD

GVWR: 7,973 lb
UVW: 6,473 lb
HITCH: 645 lb
CCC: 1,500 lb
LENGTH: 29' 9"

BEAST MODE

GVWR: 8,408 lb
UVW: 6,908 lb
HITCH: 720 lb
CCC: 1,500 lb
LENGTH: 29' 9"



25RBH

STANDARD

GVWR: 7,838 lb
UVW: 6,338 lb
HITCH: 1,030 lb
CCC: 1,500 lb
LENGTH: 32' 11"

BEAST MODE

GVWR: 7,875 lb
UVW: 6,708 lb
HITCH: 875 lb
CCC: 1,167 lb
LENGTH: 32' 11"




26BRE

STANDARD

GVWR: 8,233 lb
UVW: 6,733 lb
HITCH: 760 lb
CCC: 1,500 lb
LENGTH: 32' 6"

BEAST MODE

GVWR: 8,468 lb
UVW: 6,968 lb
HITCH: 710 lb
CCC: 1,500 lb
LENGTH: 32' 6"



26FKB

STANDARD

GVWR: TBD lb
UVW: TBD lb
HITCH: TBD lb
CCC: TBD lb
LENGTH: 29' 6"

BEAST MODE

GVWR: 7,483 lb
UVW: 5,983 lb
HITCH: 715 lb
CCC: 1500 lb
LENGTH: 29' 6"




27RBSL

STANDARD

GVWR: TBD lb
UVW: TBD lb
HITCH: TBD lb
CCC: TBD lb
LENGTH: 29' 9"

BEAST MODE

GVWR: 8,188 lb
UVW: 6,688 lb
HITCH: 692 lb
CCC: 1,500 lb
LENGTH: 29' 9"



IBEX

NEW TRAIL ED.



TRAIL26

STANDARD

GVWR: 7,648 lb

UVW: 6,148 lb

HITCH: 725 lb

CCC: 1,500 lb

LENGTH: 31'4"



TRAIL28

STANDARD

GVWR: 7,485 lb

UVW: 6,488 lb

HITCH: 845 lb

CCC: 1,357 lb

LENGTH: 35'0"



TRAIL31

STANDARD

GVWR: 8,858 lb

UVW: 7,358 lb

HITCH: 945 lb

CCC: 1,500 lb

LENGTH: 37'9"



IBEX SPECIFICATIONS

STANDARD SPECIFICATIONS


Floorplan	Length	Height	Width	Hitch Weight	GVWR	UVW	CCC	Fresh Water	Grey Water	Black Water
16MBJ	21'8"	10'10"	96"	485 lb	5,585 lb	4,088 lb	1,497 lb	30 gal	30 gal	30 gal
16MKD	21'8"	10'10"	96"	570 lb	5,523 lb	4,023 lb	1,500 lb	30 gal	30 gal	30 gal
16MKS	20'6"	11'3"	96"	545 lb	5,558 lb	4,058 lb	1,500 lb	40 gal	40 gal	30 gal
16RKD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	30 gal	30 gal	30 gal
16RKB	25'0"	10'10"	88"	610 lb	6,378 lb	4,878 lb	1,500 lb	30 gal	30 gal	30 gal
19BRK	24'8"	10'9"	88"	585 lb	5,984 lb	4,484 lb	1,500 lb	30 gal	30 gal	30 gal
19MBH	25'0"	10'10"	88"	610 lb	6,378 lb	4,878 lb	1,500 lb	30 gal	30 gal	30 gal
19MSB	24'2"	10'10"	88"	515 lb	4,915 lb	4,168 lb	747 lb	30 gal	30 gal	30 gal
19QRB	27'7"	11'3"	96"	800 lb	7,178 lb	5,678 lb	1,500 lb	55 gal	60 gal	43 gal
20FKDS	24'4"	11'3"	96"	630 lb	6,463 lb	4,963 lb	1,500 lb	55 gal	40 gal	30 gal
20MDS	25'0"	11'3"	96"	550 lb	6,413 lb	4,913 lb	1,500 lb	55 gal	60 gal	43 gal
20MKB	26'2"	11'3"	96"	750 lb	6,608 lb	5,108 lb	1,500 lb	55 gal	40 gal	43 gal
23MBH	29' 9"	11' 6"	96"	TBD	TBD	TBD	TBD	55 gal	40 gal	43 gal
24BHB	29'9"	11'3"	96"	645 lb	7,973 lb	6,473 lb	1,500 lb	55 gal	40 gal	43 gal
25MLB	32'11"	11'3"	96"	1,030 lb	7,838 lb	6,338 lb	1,500 lb	55 gal	40 gal	43 gal
25RBH	29'0"	11'3"	96"	850 lb	7,243 lb	5,743 lb	1,500 lb	55 gal	40 gal	43 gal
25RLSS	32'6"	11'3"	96"	760 lb	8,233 lb	6,733 lb	1,500 lb	55 gal	60 gal	43 gal
26BRE	29' 6"	TBD	96"	TBD	TBD	TBD	TBD	55 gal	70 gal	43 gal
26FKB	29' 9"	TBD	96"	TBD	TBD	TBD	TBD	55 gal	40 gal	30 gal
27RBSL	29' 9"	TBD	96"	TBD	TBD	TBD	TBD	55 gal	40 gal	30 gal
TRAIL26	31'4"	11'3"	96"	725 lb	7,648 lb	6,148 lb	1,500 lb	55 gal	60 gal	43 gal
TRAIL28	35'0"	11'3"	96"	845 lb	7,845 lb	6,488 lb	1,357 lb	55 gal	60 gal	43 gal
TRAIL31	37'9"	11'6"	96"	945 lb	8,858 lb	7,358 lb	1,500 lb	55 gal	60 gal	43 gal

BEAST MODE SPECIFICATIONS

Floorplan	Length	Height	Width	Hitch Weight	GVWR	UVW	CCC	Fresh Water	Grey Water	Black Water
16MBJ	21'8"	10'11"	96"	505 lb	5,375 lb	4,323 lb	1,052 lb	30 gal	30 gal	30 gal
16MKD	21'8"	11'2"	96"	610 lb	5,480 lb	4,213 lb	1,267 lb	30 gal	30 gal	30 gal
16MKS	20'6"	11'3"	96"	510 lb	5,380 lb	4,278 lb	1,102 lb	40 gal	40 gal	30 gal
16RKD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	30 gal	30 gal	30 gal
19BRK	25'0"	10'11"	88"	660 lb	6,788 lb	5,288 lb	1,500 lb	30 gal	30 gal	30 gal
19MBH	24'8"	10'11"	88"	680 lb	6,414 lb	4,914 lb	1,500 lb	30 gal	30 gal	30 gal
19MSB	24'8"	10'9"	88"	655 lb	6,524 lb	5,024 lb	1,500 lb	30 gal	30 gal	30 gal
19QRB	24'2"	10'11"	88"	535 lb	5,385 lb	4,483 lb	902 lb	30 gal	30 gal	30 gal
20FKDS	27'7"	11'6"	96"	890 lb	7,648 lb	6,148 lb	1,500 lb	55 gal	60 gal	43 gal
20MDS	24'4"	11'6"	96"	670 lb	6,923 lb	5,423 lb	1,500 lb	55 gal	40 gal	30 gal
20MKB	25'0"	11'6"	96"	680 lb	6,843 lb	5,343 lb	1,500 lb	55 gal	60 gal	43 gal
20MRK	26'2"	11'6"	96"	740 lb	7,148 lb	5,648 lb	1,500 lb	55 gal	40 gal	43 gal
23MBH	29'9"	11'6"	96"	750 lb	8,148 lb	6,648 lb	1,500 lb	55 gal	40 gal	43 gal
24BHB	29'9"	11'6"	96"	720 lb	8,408 lb	6,908 lb	1,500 lb	55 gal	40 gal	43 gal
25MLB	32'11"	11'6"	96"	875 lb	7,875 lb	6,708 lb	1,167 lb	55 gal	40 gal	43 gal
25RBH	29'0"	11'3"	96"	910 lb	7,703 lb	6,203 lb	1,500 lb	55 gal	40 gal	43 gal
25RLSS	32'6"	11'4"	96"	710 lb	8,468 lb	6,968 lb	1,500 lb	55 gal	60 gal	43 gal
26BRE	29'6"	11'6"	96"	715 lb	7,483 lb	5,983 lb	1,500 lb	55 gal	70 gal	43 gal
26FKB	29'9"	11'6"	96"	692 lb	8,188 lb	6,688 lb	1,500 lb	55 gal	40 gal	30 gal
27RBSL	29' 9"	11'6"	96"	692 lb	8,188 lb	6,688 lb	1,500 lb	55 gal	40 gal	30 gal

STANDARDS & OPTIONS

IBEX Standard Features




BLACK CANYON Beast Mode Package (optional)



SCAN FOR ADDITIONAL INFO,
PHOTOS, AND MORE!



NEW TRAIL EDITION Standard Features



SUPERIOR CONSTRUCTION



EACH NEW FOREST RIVER PURCHASE PROVIDES:

- ✓ Pre-delivery Inspection.
- ✓ Digital Owner's Manual.
- ✓ Free Membership to Forest River Owners Group (FROG). Learn more at www.forestriverfrog.com.
- ✓ A Contribution to Care Camps Foundation www.carecamps.org.
- ✓ 1 Year Free Roadside Assistance from Date of Purchase.



LEARN MORE:

Scan this QR code with your mobile device to learn more about Forest River.



SPECIFICATION DEFINITIONS:

Scan this barcode using a QR reader on your smartphone to learn RV terminology and more!



YOUR **IBEX** DEALER