

SURVEYOR



LEGEND GRAND

C M P S E R I E S



FOREST RIVER

FORESTRIVERINC.COM

CAMP SERIES

Lightweight, compact, and designed to take you beyond the path, so you can leave the trail.



27CAMP	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	6,308	705	1,397	33' 4"	11' 3"	55	40	43



29CAMP	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	6,618	915	1,500	35' 1"	11' 3"	55	40	43



32CAMP	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	7,333	810	1,500	37' 11"	11' 3"	55	40	43



34CAMP	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	7,943	870	1,500	38' 10"	11' 3"	55	40	43



27CAMP



27CAMP



29CAMP



27CAMP

TOP FEATURES




PLATFORM ENTRY
STEP
W/ NIGHTLIGHT




ENCLOSED UNDERBELLY
W/ FORCED HEAT &
RADIANT FOIL INSULATION




60X80
QUEEN BED



10 CU FT 12V
REFRIGERATOR



18K CHILL CUBE MAIN A/C
STANDARD BEDROOM A/C
3RD A/C PREP (N/A 27CAMP)



100 WATT SOLAR PANEL
30 AMP CONTROLLER
& INVERTER PREP



OUTSIDE KITCHEN
PREP



ON DEMAND
TANKLESS
WATER HEATER



WASHER &
DRYER PREP



TALLER CEILING
& SLIDE OUT HEIGHT



4 SPEED HIGH POWERED
BATH FAN



HOT & COLD EXTERIOR
SPRAY PORT



ELECTRIC FIREPLACE



50 AMP SERVICE



MICROWAVE WITH
AIR FRYER



POWER TONGUE
JACK

SUPERIOR CONSTRUCTION

1

Laminated Sidewalls, Rear Wall, Slide-Outs & Floor

- Solid Wall Construction
- Block Foam Insulated
- Superior Durability

2

Azdel Composite Sidewalls, Rear Wall, Front Wall, & Slide-Outs

- Replaces Plywood Used by Competing Brands
- Water Resistant Material
- Helps Prevent Rot, Mold, & Delamination
- Increases Insulation Values

3

Superior Aluminum Structure

- Welded Aluminum Framing Around All Openings
- Lighter Weight Than Competing Brands – True Half-Ton Towable
- Stronger & Better Constructed

4

Industry Best PVC Membrane

- 16" On-Center Trusses, Plywood Decking & Residential Insulation
- Prorated Lifetime Warranty On PVC Membrane
- No Treatments Required On PVC – Saves Time & Money

5

Extended Season Ready

- 2" Aluminum Framed Floor with Block Foam Insulation
- Underbelly Sealed and Insulated with Radiant Foil
- Forced Heat to Underbelly Through Dedicated Duct



SCAN ME
FOR MORE
CONSTRUCTION
DETAILS

Our Legend series delivers a full line of innovative, half-ton towable floorplans that are designed without compromise, so that you can keep exploring and still have the comforts of home.

19BHL	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY		
	3,777	408	1,831	23' 7"	10' 3"	30	30	30

19MDBLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY		
	4,100	498	1,598	23' 7"	10' 9"	30	30	30

19RBLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY		
	3,917	449	1,732	23' 7"	10' 3"	30	30	30

19RKL	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY
	TBD	TBD	TBD	TBD	TBD	TBD TBD TBD

202RBLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY		
	5,253	615	1,500	24' 11"	11' 2"	55	40	30

204MKLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY
	5,446	555	2,109	27' 0"	11' 3"	55 30 43

202RBLE

202RBL



205RKLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	5,843	655	1,812	27' 0"	11' 3"	55	40	43



230MDLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	6,088	840	1,500	29' 11"	11' 3"	55	40	43



242RDLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	TBD	TBD	TBD	TBD	TBD	55	40	30



252RBLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	6,033	735	1,702	29' 7"	11' 3"	55	40	43



260BHL	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	5,778	740	1,962	29' 11"	11' 3"	55	40	43



261RKLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	6,078	640	1,500	30' 0"	11' 3"	55	60	43



296QBLE	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	7,073	870	2,597	34' 11"	11' 3"	55	40	43



303BHL	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
	8,078	820	1,542	37' 11"	11' 3"	55	60	60

The Grand Surveyor series delivers a turn-key, 5-Star Resort feel to your outdoor adventure. With even more standard features, and a head-turning lineup of half-ton towable floorplans, we'll have you living Grand while others try to Glamp.



267RBSS	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY		
	6,528	840	1,312	30' 8"	11' 3"	55	60	43



290RLDS	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY
	8,083	835	1,552	36' 7"	11' 3"	55 60 43



330MLBS	UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY		
	TBD	TBD	TBD	TBD	TBD	55	30	43



290RLDS



290RLDS



253RLS




253RLS

TOP FEATURES

LEGEND



GRAND



SUPERIOR CONSTRUCTION

- 1 Laminated Sidewalls, Rear Wall, Slide-Outs & Floor**
 - Solid Wall Construction
 - Block Foam Insulated
 - Superior Durability
- 2 Azdel Composite Sidewalls, Rear Wall, Front Wall, & Slide-Outs**
 - Replaces Plywood Used by Competing Brands
 - Water Resistant Material
 - Helps Prevent Rot, Mold, & Delamination
 - Increases Insulation Values
- 3 Superior Aluminum Structure**
 - Welded Aluminum Framing Around All Openings
 - Lighter Weight Than Competing Brands – True Half-Ton Towable
 - Stronger & Better Constructed

- 4 Industry Best PVC Membrane**
 - 16" On-Center Trusses, Plywood Decking & Residential Insulation
 - Prorated Lifetime Warranty On PVC Membrane
 - No Treatments Required On PVC – Saves Time & Money
- 5 Extended Season Ready**
 - 2" Aluminum Framed Floor with Block Foam Insulation
 - Underbelly Sealed and Insulated with Radiant Foil
 - Forced Heat to Underbelly Through Dedicated Duct
 - Heated Holding Tanks with 12V Heating Pads



SCAN ME
FOR MORE
CONSTRUCTION
DETAILS

EACH NEW FOREST RIVER PURCHASE PROVIDES:

- ✓ Pre-delivery Inspection.
- ✓ Digital Owner's Manual.
- ✓ Free Membership to Forest River Owners Group (FROG).
Learn more at www.forestriverfrog.com.
- ✓ A Contribution to Care Camps Foundation www.carecamps.org.
- ✓ 1 Year Free Roadside Assistance from Date of Purchase.



LEARN MORE:

Scan this QR code with your mobile device to learn more about Forest River.



SPECIFICATION DEFINITIONS:

Scan this barcode using a QR reader on your smartphone to learn RV terminology and more!



YOUR **SURVEYOR** DEALER